



***J.W. ROGERS PTY LTD***

ABN 64 009 319 966

---

**Quality  
Building &  
Construction  
Catalogue**

---



44 Irvine Drive MALAGA 6090  
Ph: (08) 9249 3911  
Fax: (08) 9249 3905  
**[www.jwrogers.com.au](http://www.jwrogers.com.au)**

**\*\*\*\*\*Remember ROGERS for Rubber & Plastic \*\*\*\*\***

# **TABLE OF CONTENTS**


|   |           |
|---|-----------|
| <b>POLYTHENE .....</b>                        | <b>3</b>  |
| BLACK BUILDERS FILM .....                     | 4         |
| NATURAL BUILDERS FILM .....                   | 5         |
| WHITE BUILDERS FILM .....                     | 6         |
| ORANGE BUILDERS FILM .....                    | 7         |
| ORANGE BUILDERS FILM (PRINTED) .....          | 8         |
| <b>EXPANSION JOINT FILLER .....</b>           | <b>9</b>  |
| PE FLEXIBLE EXPANSION JOINTING (ZIPPED) ..... | 12        |
| <b>BACKING ROD .....</b>                      | <b>13</b> |
| <b>PIPE LAGGING .....</b>                     | <b>15</b> |
| 5MM PIPE LAGGING .....                        | 15        |
| 10MM PIPE LAGGING .....                       | 15        |
| <b>RIGID JOINT .....</b>                      | <b>16</b> |
| 10MM RIGID JOINT .....                        | 16        |
| 20MM RIGID JOINT .....                        | 16        |
| <b>CHAMFER MOULD .....</b>                    | <b>17</b> |
| <b>ROOF INFILL STRIPS .....</b>               | <b>18</b> |
| <b>FOAM TAPES AND SEALANTS .....</b>          | <b>19</b> |
| VINYL SERIES FOAMS .....                      | 20        |
| SINGLE SIDED TAPES .....                      | 21        |
| FOAM TAPES .....                              | 22        |
| 3MM FOAM TAPE .....                           | 22        |
| 6MM FOAM TAPE .....                           | 22        |
| 10MM FOAM TAPE .....                          | 23        |
| <b>PACKAGING MATERIALS .....</b>              | <b>24</b> |
| TAPE POLYPROPYLENE PACKAGING .....            | 24        |
| TAPE MASKING GENERAL PURPOSE .....            | 24        |
| TAPE PVC JOINING (DUCT TAPE) .....            | 24        |
| TAPE DISPENSER .....                          | 24        |
| ADHESIVE ENVELOPES .....                      | 24        |
| POLY STRAPPING .....                          | 25        |
| POLY BUCKLES .....                            | 25        |
| BUBBLE WRAP .....                             | 25        |
| BUBBLE WRAP ANTISTATIC .....                  | 25        |
| CORRUGATED CARDBOARD .....                    | 25        |
| <b>STRETCH WRAP .....</b>                     | <b>26</b> |
| STRETCH FILM .....                            | 26        |
| STRETCHWRAP DISPENSER .....                   | 26        |
| PALLET BAGS (PERFERATED ROLLS) .....          | 26        |
| PALLET TOP SHEETS (PERFERETED ROLL) .....     | 26        |
| BLUE PERFERATED SHEETS .....                  | 27        |
| ASBESTOS REMOVAL BAGS .....                   | 27        |

# **POLYTHENE**

**J.W. ROGERS PTY LTD** produces a wide range of Builders Films. In a variety of thickness and widths to meet a broad selection of applications

**J.W. ROGERS PTY LTD Builders Film** is a lightweight, durable, semi – crystalline thermoplastic made in varying densities with accompanying changes in properties to suit varying applications.

**J.W. ROGERS PTY LTD Builders Film** is a low-density product that has relatively low strength and hardness. It is not recommended for continuous use with hydrocarbons, some alcohols, and oxidizing acids: resists phenols, ketones, esters, ethers, bases, salts, organic and inorganic acids: good electrical properties, maximum use temperature 60°C



## **CHARACTERISTICS:**

- Semi rigid
- Variety of colours including Black and Natural
- Very tough
- Weather proof
- Good chemical resistance
- Low water absorption

# BLACK BUILDERS FILM

| <b>PRODUCT<br/>CODE</b> | <b>MICRONS<br/>UM</b>                                    | <b>WIDTH<br/>METRES</b> | <b>LENGTH<br/>METRES</b> | <b>WEIGHT<br/>KG</b> | <b>ROLLS /<br/>PALLET</b> |
|-------------------------|--|-------------------------|--------------------------|----------------------|---------------------------|
| 55015                   | 50UM   | 1M                      | 200M                     | 9.24                 | 30                        |
| 55017                   | 50UM   | 1M/2M                   | 100M                     | 9.24                 | 30                        |
| 55025                   | 50UM   | 1M/2M                   | 200M                     | 18.48                | 30                        |
| 55035                   | 50UM   | 2M/4M                   | 200M                     | 36.96                | 30                        |
| 55103                   | 100UM  | 1M                      | 200M                     | 18.48                | 30                        |
| 55105                   | 100UM  | 1M/2M                   | 100M                     | 18.48                | 30                        |
| 55115                   | 100UM  | 1.5M/3M                 | 100M                     | 27.72                | 30                        |
| 55125                   | 100UM  | 2M/4M                   | 100M                     | 36.96                | 30                        |
| 55135                   | 150UM  | 1M/2M                   | 100M                     | 27.72                | 30                        |
| 55145                   | 150UM  | 1.5M/3M                 | 50M                      | 20.79                | 30                        |
| 55155                   | 150UM  | 2M/4M                   | 50M                      | 27.72                | 30                        |
| 55205                   | 200UM  | 1M/2M                   | 50M                      | 18.48                | 30                        |
| 55207                   | 200UM  | 1.5M/3M                 | 50M                      | 27.72                | 30                        |
| 55215                   | 200UM  | 2M/4M                   | 50M                      | 36.96                | 30                        |
| 55235                   | 250UM  | 1M/2M                   | 50M                      | 23.10                | 30                        |
| 55245                   | 250UM  | 2M/4M                   | 25M                      | 23.10                | 30                        |
| 55305                   | 300UM  | 1M/2M                   | 50M                      | 27.72                | 30                        |
| 55315                   | 300UM  | 2M/4M                   | 25M                      | 27.72                | 30                        |
| 55225                   | <b>AGRICULTURAL POLY FILM<br/>(ULTRA VIOLET TREATED)</b> |                         |                          | 55.44                | 20                        |
|                         | 200UM  | 1.8/1.2/6M              | 50M                      |                      |                           |

# NATURAL BUILDERS FILM

| <b>PRODUCT<br/>CODE</b> | <b>MICRONS<br/>UM</b> | <b>WIDTH<br/>METRES</b> | <b>LENGTH<br/>METRES</b> | <b>WEIGHT<br/>KG</b> | <b>ROLLS /<br/>PALLET</b> |
|-------------------------|-----------------------|-------------------------|--------------------------|----------------------|---------------------------|
| 55000                   | 50UM                  | 500MM                   | 200M                     | 4.62                 | 60                        |
| 55010                   | 50UM                  | 1M                      | 200M                     | 9.24                 | 30                        |
| 55012                   | 50UM                  | 1M/2M                   | 100M                     | 9.24                 | 30                        |
| 55020                   | 50UM                  | 1M/2M                   | 200M                     | 18.48                | 30                        |
| 55030                   | 50UM                  | 2M/4M                   | 200M                     | 36.96                | 30                        |
| 55100                   | 100UM                 | 1M/2M                   | 100M                     | 18.48                | 30                        |
| 55110                   | 100UM                 | 1.5M/3M                 | 100M                     | 27.72                | 30                        |
| 55120                   | 100UM                 | 2M/4M                   | 100M                     | 36.96                | 30                        |
| 55130                   | 150UM                 | 1M/2M                   | 100M                     | 27.72                | 30                        |
| 55140                   | 150UM                 | 1.5M/3M                 | 50M                      | 20.79                | 30                        |
| 55150                   | 150UM                 | 2M/4M                   | 50M                      | 27.72                | 30                        |
| 55200                   | 200UM                 | 1M/2M                   | 50M                      | 18.48                | 30                        |
| 55210                   | 200UM                 | 2M/4M                   | 50M                      | 36.96                | 30                        |
| 55220                   | 200UM                 | 1.8/1.2/6               | 50M                      | 55.44                | 20                        |
| 55230                   | 250UM                 | 1M/2M                   | 50M                      | 23.10                | 30                        |
| 55240                   | 250UM                 | 2M/4M                   | 25M                      | 23.10                | 30                        |
| 55300                   | 300UM                 | 1M/2M                   | 50M                      | 27.72                | 30                        |
| 55310                   | 300UM                 | 2M/4M                   | 25M                      | 27.72                | 30                        |

# WHITE BUILDERS FILM

| <b>PRODUCT<br/>CODE</b> | <b>MICRONS<br/>UM</b> | <b>WIDTH<br/>METRES</b> | <b>LENGTH<br/>METRES</b> | <b>WEIGHT<br/>KG</b> | <b>ROLLS /<br/>PALLET</b> |
|-------------------------|-----------------------|-------------------------|--------------------------|----------------------|---------------------------|
| 55415                   | 50UM                  | 1M/2M                   | 200M                     | 18.48                | 30                        |
| 55425                   | 50UM                  | 2M/4M                   | 200M                     | 36.96                | 30                        |
| 55435                   | 100UM                 | 1M/2M                   | 100M                     | 18.48                | 30                        |
| 55445                   | 100UM                 | 2M/4M                   | 100M                     | 36.96                | 30                        |
| 55455                   | 150UM                 | 1M/2M                   | 100M                     | 27.72                | 30                        |
| 55465                   | 150UM                 | 2M/4M                   | 50M                      | 27.72                | 30                        |
| 55475                   | 200UM                 | 1M/2M                   | 50M                      | 18.48                | 30                        |
| 55485                   | 200UM                 | 2M/4M                   | 50M                      | 36.96                | 30                        |
| 55495                   | 250UM                 | 1M/2M                   | 50M                      | 23.10                | 30                        |
| 55505                   | 250UM                 | 2M/4M                   | 25M                      | 23.10                | 30                        |
| 55515                   | 300UM                 | 1M/2M                   | 50M                      | 27.72                | 30                        |
| 55525                   | 300UM                 | 2M/4M                   | 25M                      | 27.72                | 30                        |

# ORANGE BUILDERS FILM

| <b>PRODUCT<br/>CODE</b> | <b>MICRONS<br/>UM</b> | <b>WIDTH<br/>METRES</b> | <b>LENGTH<br/>METRES</b> | <b>WEIGHT<br/>KG</b> | <b>ROLLS /<br/>PALLET</b> |
|-------------------------|-----------------------|-------------------------|--------------------------|----------------------|---------------------------|
| 55410                   | 50UM                  | 1M/2M                   | 200M                     | 18.48                | 30                        |
| 55420                   | 50UM                  | 2M/4M                   | 200M                     | 36.96                | 30                        |
| 55430                   | 100UM                 | 1M/2M                   | 100M                     | 18.48                | 30                        |
| 55440                   | 100UM                 | 2M/4M                   | 100M                     | 36.96                | 30                        |
| 55450                   | 150UM                 | 1M/2M                   | 100M                     | 27.72                | 30                        |
| 55460                   | 150UM                 | 2M/4M                   | 50M                      | 27.72                | 30                        |
| 55470                   | 200UM                 | 1M/2M                   | 50M                      | 18.48                | 30                        |
| 55480                   | 200UM                 | 2M/4M                   | 50M                      | 36.96                | 30                        |
| 55490                   | 250UM                 | 1M/2M                   | 50M                      | 23.10                | 30                        |
| 55500                   | 250UM                 | 2M/4M                   | 25M                      | 23.10                | 30                        |
| 55510                   | 300UM                 | 1M/2M                   | 50M                      | 27.72                | 30                        |
| 55520                   | 300UM                 | 2M/4M                   | 25M                      | 27.72                | 30                        |


## ORANGE BUILDERS FILM (PRINTED)

| <b>PRODUCT<br/>CODE</b> | <b>MICRONS<br/>UM</b> | <b>WIDTH<br/>METRES</b> | <b>LENGTH<br/>METRES</b> | <b>WEIGHT<br/>KG</b> | <b>ROLLS /<br/>PALLET</b> |
|-------------------------|-----------------------|-------------------------|--------------------------|----------------------|---------------------------|
| 55805                   | 50UM                  | 1M/2M                   | 200M                     | 18.48                | 30                        |
| 55810                   | 50UM                  | 2M/4M                   | 200M                     | 36.96                | 30                        |
| 55815                   | 100UM                 | 1M/2M                   | 100M                     | 18.48                | 30                        |
| 55820                   | 100UM                 | 2M/4M                   | 100M                     | 36.96                | 30                        |
| 55825                   | 150UM                 | 1M/2M                   | 100M                     | 27.72                | 30                        |
| 55830                   | 150UM                 | 2M/4M                   | 50M                      | 27.72                | 30                        |
| 55835                   | 200UM                 | 1M/2M                   | 50M                      | 18.48                | 30                        |
| 55840                   | 200UM                 | 2M/4M                   | 50M                      | 36.96                | 30                        |
| 55845                   | 250UM                 | 1M/2M                   | 50M                      | 23.10                | 30                        |
| 55850                   | 250UM                 | 2M/4M                   | 25M                      | 23.10                | 30                        |
| 55855                   | 300UM                 | 1M/2M                   | 50M                      | 27.72                | 30                        |
| 55860                   | 300UM                 | 2M/4M                   | 25M                      | 27.72                | 30                        |



# **EXPANSION JOINT FILLER**

- J.W.ROGERS PTY LTD Expansion Joint is a closed cell chemically cross-linked polyethylene foam, supplied slit into operational sizes with a zipped tear off edge



## **APPLICATIONS:**

- J.W.ROGERS PTY LTD Expansion Joint specifically designed to act as joint filler in concrete slabs, allowing the concrete to expand and contract with the changes in the weather. It also has applications in brick, block work, insulating joints, hinge joints, deck slabs, retaining walls, subways, bridges and culverts.

## **EASY TO USE:**

- J.W.ROGERS PTY LTD Expansion Joint is lightweight and can be easily cut with a knife.

## **USER FRIENDLY:**

- J.W.ROGERS PTY LTD Expansion Joint does not emit dust or fibre particles, so protective clothing is not necessary during installation.

## **SPECIAL FEATURES:**

- J.W.ROGERS PTY LTD Expansion Joint has excellent UV resistant and will not assist the growth of fungi and mould. It is unaffected by most acids, alkalis, alcohols, detergents and petrochemicals.

## **ENVIROMENTALLY FRIENDLY:**

- J.W.ROGERS PTY LTD Expansion Joint is produced without the use of CFC, HCFC, or HC's and is free of cadmium, lead stabilizers, tin organic substances and other heavy metals.

## **WATER ABSORPTION:**

- J.W.ROGERS PTY LTD Expansion Joint is a closed cell foam and will absorb only negligible moisture.

## **COMBUSTION PERFORMANCE:**

- J.W.ROGERS PTY LTD Expansion Joint when tested to AS1530.3 – 1989 produced a smoke release index of 0-1, and was observed to self extinguish as soon as the flame source was removed.

## **TOXICITY:**


- The smoke developed by J.W.ROGERS PTY LTD Expansion Joint during combustion will contain mostly carbon dioxide.

## **AVAILABLE SIZES:**


- J.W.ROGERS PTY LTD Expansion Joint comes in standard 10mm thickness, 25mtr long rolls and 50, 75, 100, 125, 150, 200, 250, 300mm widths. Other thickness and widths are available to order.

## TYPICAL INSTALLATION


- Place the J.W.ROGERS PTY LTD Expansion Joint between the concrete slabs.



- Wait for the concrete to cure, remove the zipper tear off strip, leaving a small gap.



- Apply a suitable sealant to fill the remaining, gap in the concrete



## PE FLEXIBLE EXPANSION JOINTING (ZIPPED)

| <b>PRODUCT<br/>CODE</b> | <b>WIDTH<br/>( MM )</b> | <b>LENGTH<br/>( MTRS )</b> | <b>THICKNESS<br/>( MM )</b> |
|-------------------------|-------------------------|----------------------------|-----------------------------|
| 12200001                | 50                      | 25                         | 10                          |
| 12200002                | 75                      | 25                         | 10                          |
| 12200003                | 100                     | 25                         | 10                          |
| 12200004                | 125                     | 25                         | 10                          |
| 12200005                | 150                     | 25                         | 10                          |
| 12200006                | 200                     | 25                         | 10                          |
| 12200007                | 250                     | 25                         | 10                          |
| 12200008                | 300                     | 25                         | 10                          |
| 12201001                | 50                      | 20                         | 12                          |
| 12201002                | 75                      | 20                         | 12                          |
| 12201003                | 100                     | 20                         | 12                          |
| 12201004                | 125                     | 20                         | 12                          |
| 12201005                | 150                     | 20                         | 12                          |
| 12201006                | 200                     | 20                         | 12                          |
| 12201007                | 250                     | 20                         | 12                          |
| 12201008                | 300                     | 20                         | 12                          |

# **BACKING ROD**

## **CHARACTERISTICS:**

- Compatible with all leading sealants
- Available in a full range diameters from 6mm to 50mm
- Excellent rebound recovery
- Round profile enables sealant to form correct profile for optimum movement
- Saves money by minimizing the amount of sealant required suitable for horizontal and vertical joints, sealing of internal wall joints, draft proofing and sealing windows.

Note: 30 mm, 40 mm & 50 mm are supplied in 2 metre lengths.  
(All other sizes are in coils)

| <b><i>JWR Part Code</i></b> | <b><i>Product Description</i></b>   |
|-----------------------------|-------------------------------------|
| 12500006                    | 6mm Diametre x 1000 Metres (WHITE)  |
| 12500010                    | 10mm Diametre x 1000 Metres (WHITE) |
| 12150013                    | 13mm Diametre x 1000 Metres (WHITE) |
| 12500015                    | 15mm Diametre x 1000 Metres (WHITE) |
| 12500020                    | 20mm Diametre x 1000 Metres (WHITE) |
| 12500025                    | 25mm Diametre x 1000 Metres (WHITE) |
| 12500030                    | 30mm Diametre x 1000 Metres (WHITE) |
| 12500040                    | 40mm Diametre x 1000 Metres (WHITE) |
| 12500050                    | 50mm Diametre x 1000 Metres (WHITE) |



# PIPE LAGGING

## PIPE INSULATION:



All grades of have similar performance in relation to operating temperature, thermal conductivity, non-toxicity & moisture absorption.

Fire performance, noise attenuation, chemical resistance, size & wall

thickness availability & cost are factors that will in selection of a specific type.



lead

## 5MM PIPE LAGGING

| <b>JWR Part Code</b> | <b>Product Description</b> |
|----------------------|----------------------------|
| 12800050             | 25 METRES x 50 MM x 5 MM   |
| 12800075             | 25 METRES x 75 MM x 5 MM   |
| 12800100             | 25 METRES x 100 MM x 5 MM  |
| 12800125             | 25 METRES x 125 MM x 5 MM  |
| 12800150             | 25 METRES x 150 MM x 5 MM  |
| 12800200             | 25 METRES x 200 MM x 5 MM  |
| 12800250             | 25 METRES x 250 MM x 5 MM  |
| 12800300             | 25 METRES x 300 MM x 5 MM  |

## 10MM PIPE LAGGING

| <b>JWR Part Code</b> | <b>Product Description</b> |
|----------------------|----------------------------|
| 12900050             | 25 METRES x 50MM x 10 MM   |
| 12900075             | 25 METRES x 75 MM x 10 MM  |
| 12900100             | 25 METRES x 100 MM x 10 MM |
| 12900125             | 25 METRES x 125 MM x 10 MM |
| 12900150             | 25 METRES x 150 MM x 10 MM |
| 12900200             | 25 METRES x 200 MM x 10 MM |
| 12900250             | 25 METRES x 250 MM x 10 MM |
| 12900300             | 25 METRES x 300 MM x 10 MM |

# **RIGID JOINT**

## **10MM RIGID JOINT**

| <b><i>JWR Part Code</i></b> | <b><i>Product Description</i></b> |
|-----------------------------|-----------------------------------|
| 12600050                    | 2400MM x 50MM x 10MM              |
| 12600075                    | 2400MM x 75MM x 10MM              |
| 12600100                    | 2400MM x 100MM x 10MM             |
| 12600125                    | 2400MM x 125MM x 10MM             |
| 12600150                    | 2400MM x 150MM x 10MM             |
| 12600200                    | 2400MM x 200MM x 10MM             |
| 12600250                    | 2400MM x 250MM x 10MM             |
| 12600300                    | 2400MM x 300MM x 10MM             |

## **20MM RIGID JOINT**

| <b><i>JWR Part Code</i></b> | <b><i>Product Description</i></b> |
|-----------------------------|-----------------------------------|
| 12700050                    | 2400MM x 50MM x 20MM              |
| 12700075                    | 2400MM x 75MM x 20MM              |
| 12700100                    | 2400MM x 100MM x 20MM             |
| 12700125                    | 2400MM x 125MM x 20MM             |
| 12700150                    | 2400MM x 150MM x 20MM             |
| 12700200                    | 2400MM x 200MM x 20MM             |
| 12700250                    | 2400MM x 250MM x 20MM             |
| 12700300                    | 2400MM x 300MM x 20MM             |



# **CHAMFER MOULD**

| <b><i>JWR Part Code</i></b> | <b><i>Product Description</i></b> |
|-----------------------------|-----------------------------------|
| 4995                        | 3 METRES LENGTHS X 25MM BASE      |
| 4990                        | 4 METRES LENGTHS X 25MM BASE      |

# **ROOF INFILL STRIPS**

## **CHARACTERISTICS:**

- Used for eaves and undersides of flashing to protect against dust, insects, birds, rodents and wind-driven rain. Top and bottom profiles are available.

| <b><i>JWR<br/>Part<br/>Code</i></b> | <b><i>Pack Description</i></b> | <b><i>Product Description</i></b> |
|-------------------------------------|--------------------------------|-----------------------------------|
|                                     | CORRUGATED BULK PACK           | 910MM x 25MM x 20MM               |
|                                     | CORRUGATED RETAIL PACK         |                                   |
|                                     | GRECA BULK PACK                | 925MM x 25MM x 20MM               |
|                                     | GRECA RETAIL PACK              |                                   |
|                                     | TRIMDECK BOTTOM BULK PACK      | 980MM x 40MM x 20MM               |
|                                     | TRIMDECK BOTTOM RETAIL PACK    |                                   |
|                                     | TRIMDECK TOP BULK PACK         | 970MM x 40MM x 20MM               |
|                                     | TRIMDECK TOP RETAIL PACK       |                                   |
|                                     | SUPER 66 BULK PACK             | 910MM x 57MM x 20MM               |
|                                     | SUPER 66 RETAIL PACK           |                                   |
|                                     | SPANDEK BULK PACK              | 940MM x 25MM x 20MM               |
|                                     | SPANDEK RETAIL PACK            |                                   |

# FOAM TAPES AND SEALANTS



*\*\* Remember ROGERS for Rubber & Plastic \*\**

# VINYL SERIES FOAMS

| JWR<br>PRODUCT<br>CODE | DESCRIPTION   | THICKNESS   | WIDTH   | APPLICATION  |
|------------------------|---|---|---|--|
|                        | Vinyl foam on heavy duty<br>Aluminum foil   | 3.2<br>6.4  | From<br>25mm<br>to<br>1448mm  | An effective insulator & prevents<br>condensation or moisture build up<br>on surfaces to which it is applied.<br>Reduces vibration & deadens<br>sound in HVAC application  |
|                        | Light Density Vinyl Foam<br>easy to compress and<br>conformable but is still<br>strong and resilient.<br><br>Cap Tape<br>An economical sealant            | 2.0mm<br>3.0mm<br>5.0mm<br>10.0mm<br>12.0mm<br>15.0mm<br>20.0mm<br>4.8mm<br>6.4mm | From<br>6.4mm<br>to<br>1448mm<br><br>From<br>25.4mm<br>to<br>1448mm | An economical general purpose foam<br>tape requiring positive seals on<br>irregular surfaces or when flex and<br>conformability is critical.<br><br>Used effectively for a variety of<br>non -critical sealing applications                              |
|                        | Medium Density Vinyl Foam<br>Flexible and conformable<br>with strength and wear<br>resistance   | 2.0mm<br>3.0mm<br>5.0mm<br>10.0mm<br>12.7mm                                       | From<br>6.4mm<br>to<br>1448mm                                       | Excellent dimensional stability and a<br>cushion against heavier loads.<br>Foam density permits clean die cuts<br>and fastener penetration.<br>Withstands wear and abrasion.   |
|                        | Double Faced Vinyl Glazing<br>Aggressive pressure sensitive<br>adhesive on both sides of a<br>medium density foam. A<br>combination of light density      | 2.0mm<br>3.0mm<br>5.0mm<br>10.0mm<br>12.0mm                                       | From<br>6.4mm<br>to<br>1448mm                                       | A combination of light density flexibility<br>with heavy density strength.<br>Excellent in glazing applications<br>Maintains a seal in high movement<br>joints. Effectively functions as a<br>thermal break and insulator.                               |
|                        | Polyethylene<br>Tough, cross linked foam<br>closed cell composition<br>high strength, smooth surface<br>excellent compression and<br>recovery properties. | 3.0mm<br>6.4mm  | From<br>6.4mm<br>to<br>1448mm                                       | Completely seals out air, moisture<br>dust and light when compressed at<br>least 30%. Fine cell structure<br>permits easy fastening penetration.<br>Compresses easily with outstanding<br>recovery properties. Cost effective dust<br>and insect filter. |

# SINGLE SIDED TAPES

| JWR<br>PRODUCT<br>CODE | DESCRIPTION  | THICKNESS                                   | WIDTH                       | APPLICATION  |
|------------------------|--|---|-----------------------------|--|
|                        | Black closed cell, dual skin<br>firm PVC/NITRILE rubber<br>sealant                 | 3.0mm<br>6.0mm<br>9.0mm<br>12.0mm           | From<br>9mm<br>to<br>1200mm | PVC/NITRILE sealant for general<br>closure, applications including<br>automotive gaskets, refrigeration,<br>air-conditioning buses, and off road<br>vehicles, truck cabs & body seals            |
|                        | Grey open cell soft Urethane<br>foam sealant                                       | 3.0mm<br>6.0mm<br>9.0mm<br>12.0mm<br>18.0mm | From<br>9mm<br>to<br>1200mm | Low compression light & dust sealant<br>applications include draught excluder,<br>general cushioning applications,<br>computers, acoustic tiles, concealing<br>lighting, air conditioning vents. |
|                        | Black closed cell firm<br>Polyethylene foam sealant<br>with clear film on one side | 2.0mm<br>3.0mm<br>5.0mm<br>10.0mm           | From<br>6mm<br>to<br>950mm  | PE sealant for general vibration<br>sealing & closure applications<br>including ductwork access lids,<br>display cabinets, heater assemblies<br>access doors & panels                            |
|                        | Black closed cell firm<br>Polyethylene foam sealant                                | 2.0mm<br>3.0mm<br>5.0mm<br>10.0mm<br>12.0mm | From<br>9mm<br>to<br>950mm  | PE sealant for general vibration<br>sealing & closure applications<br>including ductwork access lids,<br>display cabinets, heater assemblies<br>access doors & panels                            |
|                        | White closed cell firm<br>Polyethylene foam sealant                                | 3.0mm<br>5.0mm<br>10.0mm                    | From<br>9mm<br>to<br>950mm  | PE sealant for general vibration<br>sealing & closure applications<br>including ductwork access lids,<br>display cabinets, heater assemblies<br>access doors & panels                            |
|                        | Black closed cell firm<br>plasticizer free EPDM foam                               | 3.0mm<br>6.0mm<br>9.0mm<br>12.0mm           | From<br>9mm<br>to<br>1200mm | High temperature EPDM sealant for<br>closures & removable panels.<br>Typical applications include high<br>temperature gaskets & seals  |

# FOAM TAPES

## 3MM FOAM TAPE

| <b>JWR Part Code</b> | <b>Product Description</b> |
|----------------------|----------------------------|
| MF0312/C             | 25 METRES x 12MM x 3MM     |
| MF0312/R             |                            |
| MF0315/C             | 25 METRES x 15MM x 3MM     |
| MF0315/R             |                            |
| MF0318/C             | 25 METRES x 18MM x 3MM     |
| MF0318/R             |                            |
| MF0324/C             | 25 METRES x 24MM x 3MM     |
| MF0324/R             |                            |
| MF0336/C             | 25 METRES x 36MM x 3MM     |
| MF0336/R             |                            |
| MF0348/C             | 25 METRES x 48MM x 3MM     |
| MF0348/R             |                            |

## 6MM FOAM TAPE

| <b>JWR Part Code</b> | <b>Product Description</b> |
|----------------------|----------------------------|
| MF0612/C             | 12 METRES x 12MM x 6MM     |
| MF0612/R             |                            |
| MF0615/C             | 12 METRES x 15MM x 6MM     |
| MF0615/R             |                            |
| MF0618/C             | 12 METRES x 18MM x 6MM     |
| MF0618/R             |                            |
| MF0624/C             | 12 METRES x 24MM x 6MM     |
| MF0624/R             |                            |
| MF0636/C             | 12 METRES x 36MM x 6MM     |
| MF0636/R             |                            |
| MF0648/C             | 12 METRES x 48MM x 6MM     |
| MF0648/R             |                            |

# 10MM FOAM TAPE

| <b><i>JWR Part Code</i></b> | <b><i>Product Description</i></b> |
|-----------------------------|-----------------------------------|
| MF1012/C                    | 7 METRES x 12MM x 10MM            |
| MF1012/R                    |                                   |
| MF1015/C                    | 7 METRES x 15MM x 10MM            |
| MF1015/R                    |                                   |
| MF1018/C                    | 7 METRES x 18MM x 10MM            |
| MF1018/R                    |                                   |
| MF1024/C                    | 7 METRES x 24MM x 10MM            |
| MF1024/R                    |                                   |
| MF1036/C                    | 7 METRES x 36MM x 10MM            |
| MF1036/R                    |                                   |
| MF1048/C                    | 7 METRES x 48MM x 10MM            |
| MF1048/R                    |                                   |

# **PACKAGING MATERIALS**

## **TAPE POLYPROPYLENE PACKAGING**

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>WIDTH (MM)</b> | <b>LENGTH (MTRS)</b> | <b>CARTON QUALITY</b> |
|---------------------|---------------|-------------------|----------------------|-----------------------|
| 9550                | Brown         | 24.0              | 75                   | 72                    |
| 9551                | Brown         | 36.0              | 75                   | 48                    |
| 9552                | Brown         | 48.0              | 75                   | 36                    |
| 9553                | Transparent   | 24.0              | 75                   | 72                    |
| 9554                | Transparent   | 36.0              | 75                   | 48                    |
| 9555                | Transparent   | 48.0              | 75                   | 36                    |

## **TAPE MASKING GENERAL PURPOSE**

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>WIDTH (MM)</b> | <b>LENGTH (MTRS)</b> | <b>CARTON QUALITY</b> |
|---------------------|---------------|-------------------|----------------------|-----------------------|
| 9425                | Cream         | 18.0              | 50                   | 48                    |
| 9423                | Cream         | 24.0              | 50                   | 36                    |
| 9420                | Cream         | 36.0              | 50                   | 24                    |
| 9421                | Cream         | 48.0              | 50                   | 24                    |

## **TAPE PVC JOINING (DUCT TAPE)**

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>SIZE (MM)</b> | <b>LENGTH (MTRS)</b> | <b>CARTON QUALITY</b> |
|---------------------|---------------|------------------|----------------------|-----------------------|
| 9590                | Silver        | 48.0             | 30                   | 60                    |
| 9527                | Black         | 48.0             | 30                   | 60                    |

## **TAPE DISPENSER**

| <b>PRODUCT CODE</b> | <b>DESCRIPTION</b>         |
|---------------------|----------------------------|
| 12055               | Packaging Tape Pistol Grip |

## **ADHESIVE ENVELOPES**

| <b>PRODUCT CODE</b> | <b>TYPE</b>           | <b>SIZE (MM)</b> | <b>CARTON QUALITY</b> |
|---------------------|-----------------------|------------------|-----------------------|
| 11295               | Documents Enclosed    | 150mm X 110mm    | 1000                  |
| 11991               | Packing Slip Enclosed | 140mm X 115mm    | 1000                  |

***\*\* Remember ROGERS for Rubber & Plastic \*\****



## POLY STRAPPING

| <b>PRODUCT CODE</b> | <b>WIDTH ( MM )</b> | <b>LENGTH ( MTRS )</b> |
|---------------------|---------------------|------------------------|
| 14540               | 12.0                | 1000                   |
| 14560               | 15.0                | 1000                   |

## POLY BUCKLES

| <b>PRODUCT CODE</b> | <b>SIZE ( MM )</b> | <b>CARTON QUALITY</b> |
|---------------------|--------------------|-----------------------|
| 14640               | 12.0               | 1000                  |
| 14660               | 15.0               | 1000                  |

## BUBBLE WRAP

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>SIZE ( MM )</b> | <b>WIDTH ( MM )</b> | <b>LENGTH ( MTRS )</b> |
|---------------------|---------------|--------------------|---------------------|------------------------|
| 45002               | Natural       | 10.0               | 1500                | 100                    |
| 45003               | Natural       | 10.0               | 750                 | 100                    |
| 45004               | Natural       | 10.0               | 500                 | 100                    |

## BUBBLE WRAP ANTISTATIC

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>SIZE ( MM )</b> | <b>WIDTH ( MM )</b> | <b>LENGTH ( MTRS )</b> |
|---------------------|---------------|--------------------|---------------------|------------------------|
| 45031               | Pink          | 10.0               | 1500                | 100                    |

## CORRUGATED CARDBOARD

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>WIDTH ( MM )</b> |
|---------------------|---------------|---------------------|
| 45502               | Brown         | 1525                |

# **STRETCH WRAP**

## STRETCH FILM

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>THICKNESS ( UM )</b> | <b>WIDTH ( MM )</b> | <b>LENGTH ( MTRS )</b> | <b>ORIGIN</b> |
|---------------------|---------------|-------------------------|---------------------|------------------------|---------------|
| 45110               | Clear         | 20UM                    | 500                 | 450                    | Imported      |
| 45125               | Clear         | 25UM                    | 500                 | 450                    | Imported      |
| 20601               | Clear         | 20UM                    | 500                 | 450                    | Australian    |
| 20603               | Clear         | 25UM                    | 500                 | 450                    | Australian    |
| 20611               | Black         | 20UM                    | 500                 | 450                    | Australian    |
| 20613               | Black         | 25UM                    | 500                 | 400                    | Australian    |

## STRETCHWRAP DISPENSER

| <b>PRODUCT CODE</b> | <b>DESCRIPTION</b>                |
|---------------------|-----------------------------------|
| 20680               | Stretchwrap Dispenser (Hand Hold) |

## PALLET BAGS (PERFERATED ROLLS)

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>THICKNESS ( UM )</b> | <b>HEIGHT ( MM )</b> | <b>BREATH ( MM )</b> | <b>BAGS PER ROLL</b> |
|---------------------|---------------|-------------------------|----------------------|----------------------|----------------------|
| 20410               | Natural       | 100UM                   | 1850                 | 1220mm X 1220mm      | 25                   |
| 20417               | Natural       | 100UM                   | 2600                 | 1220mm X 1220mm      | 25                   |
| 20420               | Natural       | 150UM                   | 1850                 | 1220mm X 1220mm      | 25                   |

## PALLET TOP SHEETS (PERFERETED ROLL)

| <b>PRODUCT CODE</b> | <b>COLOUR</b> | <b>THICKNESS ( UM )</b> | <b>SIZE ( MM )</b> | <b>SHEETS PER ROLL</b> |
|---------------------|---------------|-------------------------|--------------------|------------------------|
| 20650               | Natural       | 25UM                    | 1680mm X 1680mm    | 250                    |

## BLUE PERFERATED SHEETS

| <b>PRODUCT<br/>CODE</b> | <b>COLOUR</b> | <b>THICKNESS<br/>( UM )</b> | <b>SIZE<br/>( MM )</b> | <b>SHEETS<br/>PER<br/>ROLL</b> |
|-------------------------|---------------|-----------------------------|------------------------|--------------------------------|
| 55900                   | Blue          | 38UM                        | 1820mm X 910mm         | 340                            |

## ASBESTOS REMOVAL BAGS

| <b>PRODUCT<br/>CODE</b> | <b>COLOUR</b> | <b>THICKNESS<br/>( UM )</b> | <b>HEIGHT<br/>( MM )</b> | <b>WIDTH<br/>( MM )</b> |
|-------------------------|---------------|-----------------------------|--------------------------|-------------------------|
| 20450                   | Natural       | 200UM                       | 1000                     | 650                     |