



J.W. ROGERS PTY LTD

ABN 64 009 319 966

**Quality
Marine
Supplies
Catalogue**



44 Irvine Drive MALAGA 6090
Ph: (08) 9249 3911
Fax: (08) 9249 3905
www.jwrogers.com.au

******* Remember ROGERS for Rubber & Plastic *******

TABLE OF CONTENTS

TABLE OF CONTENTS	2
FLEXIBLE PVC BOAT GUNNEL STRIP	3
PACKAGING MATERIALS	4
TAPE POLYPROPYLENE PACKAGING	4
TAPE MASKING GENERAL PURPOSE	4
TAPE PVC JOINING (DUCT TAPE)	4
TAPE DISPENSER	4
ADHESIVE ENVELOPES	4
PACKAGING MATERIALS	5
POLY STRAPPING	5
POLY BUCKLES	5
BUBBLE WRAP	5
BUBBLE WRAP ANTISTATIC	5
CORRUGATED CARDBOARD	5
STRETCH WRAP	6
STRETCH FILM	6
STRETCHWRAP DISPENSER	6
PALLET BAGS (PERFERATED ROLLS)	6
PALLET TOP SHEETS (PERFERATED ROLL)	6
BLUE PERFERATED SHEETS	6
ASBESTOS REMOVAL BAGS	6
GLAZING SECTION	7
BOAT ROLLERS – BLACK RUBBER	8
BOAT ROLLERS – BLACK RUBBER <i>continued</i>	9
BOAT ROLLERS–GREY RUBBER	10
"D" SECTION RUBBER FENDER	11
FLEXIBLE PVC EDGE TRIMS- GENERAL PURPOSE	12
FLEXIBLE PVC GUNNEL STRIP	13
FLEXIBLE PVC	13
BOAT TRAILER STRIP	13
FLEXIBLE PVC	13
COVER STRIP	13
FLEXIBLE PVC BOAT GUNNEL STRIP	14
TRAILER STRIP WHITE RUBBER	15
FLEXIBLE PVC FENDER SECTION	16
STANDARD PROFILE GUNNEL STRIP	17
POLYURETHANE (RTV)	18
POLYURETHANE 60 LIQUID	18
POLYUARTHANE 80 PUTTY	18
POLYUARTHANE 80 LIQUID	18
POLYUARTHANE BELT REPAIR KIT	18
POLYURETHANE (RTV)	19
POLYURETHANE BELT REPAIR COMPOUND	19
POLYUARTHANE BRUSHABLE	19
POLYUARTHANE HIGH PERFORMANCE PUTTY	19
P.U. ADD	19
POLYUARTHANE ACCELERATOR	19
POLYURETHANE (RTV)	20
POLYURETHANE RUBBER PRIMER (FL20)	20
POLYUARTHANE METAL PRIMER (FL10)	20
POLYUARTHANE 94 LIQUID	20
RUBBER EXTRUDED SOLID SECTIONS	21
RUBBER P SECTION GASKETS	22
SPONGE – E.P.D.M WEATHER STRIP	23
SPONGE – E.P.D.M WEATHER STRIP	24
SPONGE – E.P.D.M WEATHER STRIP	25

FLEXIBLE PVC BOAT GUNNEL STRIP

FLEXIBLE BOAT GUNNEL STRIP

<i>PRODUCT CODE</i>	<i>WIDTH (MM)</i>	<i>COLOUR</i>
9300	30MM	BLACK
9301	30MM	WHITE
9302	38MM	BLACK
9303	38MM	WHITE
9304	40MM	BLACK
9305	40MM	WHITE
9306	SMALL	BLACK
9307	SMALL	WHITE
9308	SMALL	GREY
9309	LARGE	BLACK
9310	LARGE	WHITE
9311	LARGE	GREY
9327		BLACK
9328		WHITE
9329		GREY
9324		BLACK
9325		WHITE
9326		GREY
9321		BLACK
9322		WHITE
9323		GREY
9318		BLACK
9319		WHITE
9320		GREY

- Standard profile Gunnel Strip available in 4 sizes.
- Large internal 'saw-tooth' ribbing for positive grip, greater base feet angle to ensure no gaps when fitted.

PACKAGING MATERIALS

TAPE POLYPROPYLENE PACKAGING

PRODUCT CODE	COLOUR	WIDTH (MM)	LENGTH (MTRS)	CARTON QUALITY
9550	Brown	24.0	75	72
9551	Brown	36.0	75	48
9552	Brown	48.0	75	36
9553	Transparent	24.0	75	72
9554	Transparent	36.0	75	48
9555	Transparent	48.0	75	36

TAPE MASKING GENERAL PURPOSE

PRODUCT CODE	COLOUR	WIDTH (MM)	LENGTH (MTRS)	CARTON QUALITY
9425	Cream	18.0	50	48
9423	Cream	24.0	50	36
9420	Cream	36.0	50	24
9421	Cream	48.0	50	24

TAPE PVC JOINING (DUCT TAPE)

PRODUCT CODE	COLOUR	SIZE (MM)	LENGTH (MTRS)	CARTON QUALITY
9590	Silver	48.0	30	60
9527	Black	48.0	30	60

TAPE DISPENSER

PRODUCT CODE	DESCRIPTION
12055	Packaging Tape Pistol Grip

ADHESIVE ENVELOPES

PRODUCT CODE	TYPE	SIZE (MM)	CARTON QUALITY
11295	Documents Enclosed	150mm X 110mm	1000
11991	Packing Slip Enclosed	140mm X 115mm	1000

*** Remember ROGERS for Rubber & Plastic ***

PACKAGING MATERIALS

POLY STRAPPING

PRODUCT CODE	WIDTH (MM)	LENGTH (MTRS)
14540	12.0	1000
14560	15.0	1000

POLY BUCKLES

PRODUCT CODE	SIZE (MM)	CARTON QUALITY
14640	12.0	1000
14660	15.0	1000

BUBBLE WRAP

PRODUCT CODE	COLOUR	SIZE (MM)	WIDTH (MM)	LENGTH (MTRS)
45002	Natural	10.0	1500	100
45003	Natural	10.0	750	100
45004	Natural	10.0	500	100

BUBBLE WRAP ANTISTATIC

PRODUCT CODE	COLOUR	SIZE (MM)	WIDTH (MM)	LENGTH (MTRS)
45031	Pink	10.0	1500	100

CORRUGATED CARDBOARD

PRODUCT CODE	COLOUR	WIDTH (MM)
45502	Brown	1525

STRETCH WRAP

STRETCH FILM

PRODUCT CODE	COLOUR	THICKNESS (UM)	WIDTH (MM)	LENGTH (MTRS)	ORIGIN
45110	Clear	20UM	500	450	Imported
45125	Clear	25UM	500	450	Imported
20601	Clear	20UM	500	450	Australian
20603	Clear	25UM	500	450	Australian
20611	Black	20UM	500	450	Australian
20613	Black	25UM	500	400	Australian

STRETCHWRAP DISPENSER

PRODUCT CODE	DESCRIPTION
20680	Stretchwrap Dispenser (Hand Hold)

PALLET BAGS (PERFERATED ROLLS)

PRODUCT CODE	COLOUR	THICKNESS (UM)	HEIGHT (MM)	BREATH (MM)	BAGS PER ROLL
20410	Natural	100UM	1850	1220mm X 1220mm	25
20417	Natural	100UM	2600	1220mm X 1220mm	25
20420	Natural	150UM	1850	1220mm X 1220mm	25

PALLET TOP SHEETS (PERFERATED ROLL)

PRODUCT CODE	COLOUR	THICKNESS (UM)	SIZE (MM)	SHEETS PER ROLL
20650	Natural	25UM	1680mm X 1680mm	250

BLUE PERFERATED SHEETS


PRODUCT CODE	COLOUR	THICKNESS (UM)	SIZE (MM)	SHEETS PER ROLL
55900	Blue	38UM	1820mm X 910mm	340

ASBESTOS REMOVAL BAGS

PRODUCT CODE	COLOUR	THICKNESS (UM)	HEIGHT (MM)	WIDTH (MM)
20450	Natural	200UM	1000	650

***** Remember ROGERS for Rubber & Plastic *****

GLAZING SECTION




KEY PART		
PRODUCT CODE	WIDTH	HIGHT
1560	11	7
1561	10	6
1562	14	10
1563	12	9
1564	8	6
1565	11	8

GLAZING SECTIONS						
PRODUCT CODE	A	B	C	D	E	KEY PART PRODUCT CODE
1501	5.0	2.0	8.0	23.0	18.0	1560
1502	4.0	20.	7.5	20.0	15.0	1560
1503	8.0	3.2	7.5	32.5	20.0	1560
1504	6.4	4.8	12.0	30.0	23.0	1560
1505	5.6	2.0	10.0	28.0	22.0	1560
1506	5.6	2.6	10.0	29.5	20.0	1560
1507	4.8	3.2	10.0	24.0	20.0	1560
1508	5.1	4.8	6.4	35.0	22.0	1561
1509	5.0	3.2	8.0	22.0	20.0	1560
1510	5.0	5.0	7.0	23.0	19.0	1560
1511	5.0	4.8	9.5	30.0	21.5	1561
1512	6.0	4.0	9.5	34.0	12.0	1562
1513	(V)0.8	(V) 0.8	10.0	22.0	15.0	1560
1514	2.0	6.0	10.0	33.0	18.0	1560
1515	1.6	1.6	8.0	23.0	18.0	1560
1516	2.0	2.0	10.0	26.0	17.0	1562
1517	5.0	1.6	7.0	27.0	19.5	1560
1518	3.0	55.0	20.0	28.0	23.0	1560
1519	6.0	5.0	14.0	33.0	21.0	1560
1520	5.0	2.0	9.6	26.0	17.0	1560
1521	5.0	0.79	7.7	24.0	18.0	1560
1522	6.0	3.0	9.0	32.0	20.0	1560
1523	5.0	40.0	15.0	52.0	15.0	1560
1524	4.0	2.0	8.0	24.0	16.0	IN BUILT KEY
1525	2.0	6.0	10.0	28.0	18.0	1563
1526	1.0	3.0	5.0	17.0	13.0	1564
1527	4.0	1.0	8.5	21.0	15.0	1565
"H" SECTIONS						
PRODUCT CODE	A	B	C	D	E	KEY PART
1570	4.0	4.0	3.2	22.0	12.7	N/A
1571	2.4	2.4	1.6	19.0	12.7	N/A
1572	4.8	4.8	3.5	22.0	12.7	N/A
1573	1.6	4.8	3.5	22.0	12.7	N/A
1574	6.4	6.4	3.5	22.0	12.7	N/A


**** Remember ROGERS for Rubber & Plastic ****

BOAT ROLLERS – BLACK RUBBER




**** Remember ROGERS for Rubber & Plastic ****

BOAT ROLLERS – BLACK RUBBER *continued*




***** Remember ROGERS for Rubber & Plastic *****

BOAT ROLLERS-GREY RUBBER




"D" SECTION RUBBER FENDER








**** Remember ROGERS for Rubber & Plastic ****

FLEXIBLE PVC EDGE TRIMS- GENERAL PURPOSE




Edge capping trims used for capping and finishing sheets and rough edges. 2mm to 20mm thickness.

	PRODUCT CODE 9327 BLACK 9328 WHITE 9329 GREY
	PRODUCT CODE 9324 BLACK 9325 WHITE 9326 GREY
	PRODUCT CODE 9321 BLACK 9322 WHITE 9323 GREY
	PRODUCT CODE 9318 BLACK 9319 WHITE 9320 GREY






Capping trim/gunnel profile used for flat deck fixing as shown.



FLEXIBLE PVC GUNNEL STRIP

The standard profiles saw tooth ribbing and an angled base to ensure a snug fit to the assembled boat deck and hull to fit the strip, firstly cut to length, heat in a dry air oven or hot water bath and apply filler material to the inside of the profile, Secure one end of the line strip to the boat by means of nail or other fastening device and then fit the gunnels strip to the boat with a stretching action. Lightly tapping into place with a wooden mallet, the ends of the gunnel strip should be covered with a chrome plated end cap or plastic injection moulding.

	
	<p>PRODUCT</p> <p>45mm wide CODE 70mm wide 8550 8551</p>
	<p>PRODUCT CODE 9380</p>

FLEXIBLE PVC

BOAT TRAILER STRIP

The strip can be applied to all types of trailers. To apply cut a piece to the desired length, apply contact cement to the runner and to the back of the strip and firmly press into position. On a wooden runner it is desirable to secure the strip with flat headed nails between the ribs.

Where steel runners are used rivets or screws are recommended. The strip is also ideal for use along the sides of jetties as a protective buffer.

FLEXIBLE PVC

COVER STRIP

These profiles provide a multi-purpose capping for finishing sheets and rough edges around dash boards, seal and hatch covers, to provide weather protection and enhance appearance.

FLEXIBLE PVC BOAT GUNNEL STRIP

PRODUCT CODE	WIDTH (MM)	COLOUR
9300	30MM	BLACK
9301	30MM	WHITE
9302	38MM	BLACK
9303	30MM	WHITE
9304	40MM	BLACK
9305	40MM	WHITE
9306	SMALL	BLACK
9307	SMALL	WHITE
9308	SMALL	GREY
9309	LARGE	BLACK
9310	LARGE	WHITE
9311	LARGE	GREY
9327		BLACK
9328		WHITE
9329		GREY
9324		BLACK
9325		WHITE
9326		GREY
9321		BLACK
9322		WHITE
9323		GREY
9318		BLACK
9319		WHITE
9320		GREY




- **Standard profile Gunnel Strip available in 4 sizes.**
- **Large internal 'saw-tooth' ribbing for positive grip, greater base feet angle to ensure no gaps when fitted.**

TRAILER STRIP WHITE RUBBER

A white, ribbed-top extrusion for fixing to wooden bearers on boat trailers for boats to sit on during transport.



Extruded with 90° skirted legs to give a snap fitting to wooden bearers. Can also be supplied minus 90° skirted legs to fit wider bearers if desired.

Produced to suit 50mm or 75mm wide bearers. These strips are much more suitable than the carpet that most people use on their boat trailers.

 <p>PRODUCT CODE 8500 76mm WIDE 8501 50mm WIDE</p>	 <p>PRODUCT CODE 8502 50mm WIDE 8503 76mm WIDE</p>
<p>45mm Trailer Strip FLEXIBLE PVC</p>	
<p>PRODUCT CODE 8550 45mm WIDE 8551 70mm WIDE</p>	 

***** Remember ROGERS for Rubber & Plastic *****

FLEXIBLE PVC FENDER SECTION




These boat and marina products are manufactured in a high quality UV resistant grade PVC suitable for outdoor marine conditions. The larger buffer sections are rubber modified for improved weather ability and impact strength in extreme conditions.





In certain applications, particularly flange fixed gunnels it is recommended the product be pre-heated to increase flexibility when fixing. Standard colours are black, white and grey. Available in special colours on request.

||


**** Remember ROGERS for Rubber & Plastic ****

STANDARD PROFILE GUNNEL STRIP



	<p>PRODUCT CODE</p> <p>38mm 9302 BLACK 9303 WHITE</p> <p>40mm 9304 BLACK 9305 WHITE</p>
	<p>PRODUCT CODE</p> <p>30mm 9300 BLACK 9301 WHITE</p>
	<p>PRODUCT CODE</p> <p>LARGE</p> <p>40mm 9309 BLACK 9310 WHITE</p>
	<p>PRODUCT CODE</p> <p>SMALL</p> <p>35mm 9306 BLACK 9303 WHITE</p>

Standard
profile
Gunnel strip
available in 4
sizes. Large
internal
saw-tooth
ribbing for
positive grip,
greater base
feet angle to
ensure no gaps
when fitted.



ALL ILLUSTRATIONS ARE
DISPLAYED AT ACTUAL SIZE

POLYURETHANE (RTV)

(ROOM TEMPERATURE VULCANIZING)

POLYURETHANE 60 LIQUID

PRODUCT CODE: 15750 15751

PACK SIZE: 0.45kg 4.5kg

A pourable, two component urethane with a hardness of shore A 60.

Polyurethane 60 liquid can be used for softer castings and belt repairs. It has good abrasion resistance and strength, high elongation, elasticity and good chemical resistance.

POLYURETHANE 80 PUTTY

PRODUCT CODE: 15760 15761

PACK SIZE: 0.45kg 4.5kg

A trowelable, two component urethane which cures to a medium hard rubber with a shore A 80 hardness. Particularly easy to use, It requires no special tools or heat. Polyurethane 80 putty is 100% solid and non-shrinking with no cold flow. It retains its shape under pressure like rubber. Use it for repairing rubber linings in metal parts processing equipment and use for noise control flexible jigs and fixtures.

POLYURETHANE 80 LIQUID

PRODUCT CODE: 15770 15771 15772

PACK SIZE: 0.45kg 4.5kg 24kg

A castable version of polyurethane putty. It can be used for making flexible moulds, cast parts and non scratching holding fixtures, forming abrasion resistant and noise reducing linings and encapsulating parts.

POLYURETHANE BELT REPAIR KIT

PRODUCT CODE 15790

A complete belt repair kit that's economical, easy to use and extremely fast acting. The kit contains all materials and tools for making fast durable belt repairs, returning equipment to service in four hours. It has good tensile strength and very good abrasion and chemical resistance.

- 4 x 0.45kg units of polyurethane BRK compound (Shore A /5)
- 1 x 250ml can of rubber primer (fl20)
- 1 x 1 litre devcon No 10 cleaner, 1 trowel, 20 paper towels
- 4 x mixing paddles, 1 pair gloves, 2 abrasive pads
- 1 polyethylene sheet, 4 dauber applicators

Use the kit for repairing damage to belt cover, small punctures to the fabric and edge damage on RMA grade 1 & 2 rubber belts. It's highly elastic resists water and is non shrinking

POLYURETHANE (RTV)

(ROOM TEMPERATURE VULCANIZING)

POLYURETHANE BELT REPAIR COMPOUND

PRODUCT CODE: 15800
PACK SIZE: 0.45kg

Belt repair compound, a putty of shore A 75 hardness is designed as a supplement to the belt repair kit. Used to replace product uses in initial applications or where larger applications are required.

POLYUARTHANE BRUSHABLE

PRODUCT CODE: 15810
PACK SIZE: 0.45kg

A brushable two component urethane that cures to a medium hard rubber (shore A 80) which is mixed and applied at room temperature. Having outstanding tensile strength and very good chemical resistant this product is excellent for lining and protection of hoppers, cutters, chutes, pump impellers, feeder bowls and fans from abrasion and impact.

POLYUARTHANE HIGH PERFORMANCE PUTTY

PRODUCT CODE: 15820
PACK SIZE: 0.45kg

This extremely durable product cures at room temperature to a hardness of Shore A 76. Featuring outstanding tensile and tear strength it offers significant benefits on equipment which is subject to extreme wear and abrasion, ideal for lining chutes and pumps.

P.U. ADD

PRODUCT CODE	15830	15831
PACK SIZE	250ml	4 Litre

A urethane flexibilizer which is used to alter the hardness of polyurethane 80 liquid to produce a urethane of desired durometer below 80°. Allows custom formulation of polyurethane for specific application requirements.

POLYUARTHANE ACCELERATOR

PRODUCT CODE: 15820
PACK SIZE: 0.45kg

Ideal for application where fast curing is essential. Polyurethane accelerator speeds up the cure of all polyurethanes at temperature as low as 0°C. Half a teaspoon (2gms) of polyurethane accelerator will reduce time of 0.5kg of all polyurethane by 50%.

POLYURETHANE (RTV)

(ROOM TEMPERATURE VULCANIZING)

POLYURETHANE RUBBER PRIMER (FL20)

PRODUCT CODE: 15850

PACK SIZE: 120ml

Rubber primer should be used with all polyurethanes to ensure a maximum bond strength on all rubber surfaces to be repaired. Polyurethane rubber primer (FL20) provides maximum adhesion to rubber, wood, fiberglass and concrete.

POLYURETHANE METAL PRIMER (FL10)

PRODUCT CODE: 15840

PACK SIZE: 120ml


When bonding to metal surfaces, metal primer must be used to ensure long lasting adhesion. Polyurethane Metal Primer (FL10) provides excellent adhesion to all metals of all grades of polyurethane. Use in conjunction with FL20 Primer on metal surfaces exposed to water immersion or repairing adhesion in excess of 9kg/cm.

POLYURETHANE 94 LIQUID

PRODUCT CODE: 15780 15781 15782

PACK SIZE: 0.45kg 4.5kg 24kg


Use Polyurethane 94 liquid for applications that require a fast curing more rigid urethane than polyurethane 80 liquid.



***** Remember ROGERS for Rubber & Plastic *****


















RUBBER EXTRUDED SOLID SECTIONS

(We quote for synthetic or special colours in extrusions or tubing on request)




***** Remember ROGERS for Rubber & Plastic *****

RUBBER P SECTION GASKETS

 <p>33mm</p> <p>1097 BLACK</p>	 <p>20mm</p> <p>1098 BLACK</p>	 <p>25mm</p> <p>1099 BLACK</p>	 <p>23mm</p> <p>1100 BLACK</p>
 <p>15mm</p> <p>1101 BLACK</p>	 <p>24mm</p> <p>1102 GREY</p>	 <p>20mm</p> <p>1103 GREY</p>	 <p>19mm</p> <p>1104 BLACK</p>
 <p>27mm</p> <p>1105 BLACK</p>	 <p>16mm</p> <p>1106 BLACK 1107 GREY</p>	 <p>20mm</p> <p>1108 BLACK 1109 GREY</p>	 <p>22mm</p> <p>1110 BLACK 1111 GREY</p>
 <p>25mm</p> <p>1112 GREY</p>	 <p>27mm</p> <p>1113 BLACK</p>	 <p>23mm</p> <p>1114 GREY</p>	 <p>20mm</p> <p>1117 BLACK</p>  <p>12mm</p> <p>1120 BLACK</p>

***** Remember ROGERS for Rubber & Plastic *****


SPONGE – E.P.D.M WEATHER STRIP



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

**** Remember ROGERS for Rubber & Plastic ****


SPONGE – E.P.D.M WEATHER STRIP



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

***** Remember ROGERS for Rubber & Plastic *****

SPONGE – E.P.D.M WEATHER STRIP



ALL MEASUREMENTS ARE SHOWN IN MILLIMETRES

**** Remember ROGERS for Rubber & Plastic ****