


J.W. ROGERS PTY LTD

ABN 64 009 319 966

Quality Rubber Rolls & Sheets Catalogue



44 Irvine Drive MALAGA 6090
Ph: (08) 9249 3911
Fax: (08) 9249 3905
www.jwrogers.com.au

*******Remember ROGERS for Rubber & Plastic *******

TABLE OF CONTENTS

BUTYL RUBBER.....	4
BUTYL RUBBER SHEETS 60 SDH.....	4
BUTYL RUBBER ROLLS 60 SDH.....	4
EPDM RUBBER.....	5
EPDM RUBBER SHEETS 60 SDH.....	5
EPDM RUBBER ROLLS.....	5
HYGIENIC WHITE RUBBER.....	6
HYGIENIC WHITE RUBBER SHEETS 45/55 SDH.....	6
INSERTION RUBBER.....	7
NATURAL RUBBER INSERTION.....	7
WHITE FACED INSERTION.....	7
NEOPRENE INSERTION.....	8
LINING RUBBER.....	9
LINING RUBBER GREEN (ROLLS) 45 SHD.....	9
LINING RUBBER GREEN (SHEETS) 45 SHD.....	9
LINING GREEN RUBBER SHEETS NEO - BACKED.....	10
LINING BLUE RUBBER SHEETS NEO – BACKED.....	10
LINING RED RUBBER SHEETS NEO – BACKED.....	10
NATURAL RUBBER ROLLS	11
NATURAL RUBBER ROLLS 60 SDH.....	11
SAR (BLACK) 70 SDH.....	11
SAR (BLACK) 80 SDH.....	12
NATURAL RUBBER SHEETS.....	13
NATURAL RUBBER SHEETS 45 SDH.....	13
NATURAL RUBBER SHEETS 60 SDH.....	13
NATURAL RUBBER SHEETS 70 SDH.....	14
NEOPRENE RUBBER ROLLS	15
NEOPRENE RUBBER ROLLS 60 SDH.....	15
NEOPRENE RUBBER SHEETS.....	16
NEOPRENE SHEETS 45 SDH.....	16
NEOPRENE SHEETS 60 SDH.....	16
NEOPRENE SHEETS 70 SDH.....	17
NITRILE RUBBER.....	18
NITRILE SHEETS 60 SDH.....	18
NITRILE ROLLS 60 SDH.....	18
PURE GUM SHEET RUBBER	19
PURE GUM NATURAL SHEET	19
RUBBER MATTING	20
RIBBED RUBBER MATTING	20
HORSE FLOAT MATTING (SHEETS).....	20

** * Remember ROGERS for Rubber & Plastic * **

SKIRTING RUBBER ROLLS.....	21
SKIRTING RUBBER (HARD)	21
SKIRTING RUBBER (SOFT)	21
DUST CLOTH.....	22
DUST SEALING CLOTH	22
VITON RUBBER.....	23
VITON A (FLURO ELASTOMER RUBBER)	23
PACKAGING MATERIALS.....	24
TAPE POLYPROPYLENE PACKAGING.....	24
TAPE MASKING GENERAL PURPOSE	24
TAPE PVC JOINING (DUCT TAPE).....	24
TAPE DISPENSER.....	24
ADHESIVE ENVELOPES.....	24
POLY STRAPPING	25
POLY BUCKLES.....	25
BUBBLE WRAP	25
BUBBLE WRAP ANTISTATIC.....	25
CORRUGATED CARDBOARD	25
STRETCH WRAP	26
STRETCH FILM.....	26
STRETCHWRAP DISPENSER.....	26
PALLET BAGS (PERFERATED ROLLS)	26
PALLET TOP SHEETS (PERFERETED ROLL).....	26
BLUE PERFERATED SHEETS.....	27
ASBESTOS REMOVAL BAGS.....	27

BUTYL RUBBER

CHARACTERISTICS:

- Butyl has very good weathering resistance.
- Low permeability to air, with good physical properties.
- Butyl has poor resistance to petroleum based fluids.

BUTYL RUBBER SHEETS 60 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)	MIN TEMP (C)
6520	1.6	1830mm x 915mm	125	- 45
6521	3.2	1830mm x 915mm	125	- 45
6522	4.8	1830mm x 915mm	125	- 45
6523	6.4	1830mm x 915mm	125	- 45
6524	8.0	1830mm x 915mm	125	- 45
6525	10.0	1830mm x 915mm	125	- 45
6526	12.0	1830mm x 915mm	125	- 45
6527	15.0	1830mm x 915mm	125	- 45
6528	20.0	1830mm x 915mm	125	- 45
6529	25.0	1830mm x 915mm	125	- 45

BUTYL RUBBER ROLLS 60 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)	MIN TEMP (C)
7082	1.0	1390	125	- 45
7085	1.5	1390	125	- 45
7086	2.5	1390	125	- 45

**** * Remember ROGERS for Rubber & Plastic * ****

EPDM RUBBER

CHARACTERISTICS:

- EPDM Rubber sheets are widely used in areas where excellent ozone and chemical resistant qualities are required in combination with a resistance to ageing. Its major limitation is a poor resistance to liquid petroleum products

EPDM RUBBER SHEETS 60 SDH

JWR PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMPERATURE (C)
6404	0.8	1830mm X 915mm	70
6570	1.6	1830mm X 915mm	70
6571	3.2	1830mm X 915mm	70
6572	4.8	1830mm X 915mm	70
6573	6.4	1830mm X 915mm	70
6574	8.0	1830mm X 915mm	70
6575	10.0	1830mm X 915mm	70
6576	12.0	1830mm X 915mm	70
6577	15.0	1830mm X 915mm	70
6578	20.0	1830mm X 915mm	70
6579	25.0	1830mm X 915mm	70

EPDM RUBBER ROLLS

JWR PRODUCT CODE	DESCRIPTION	LENGTH
7030	EPDM Rubber 60 SDH 1.5mm Thick	10 metre
7031	EPDM Rubber 60 SDH 3.0mm Thick	10 Metre
7031A	EPDM Washer Rubber 60 SDH 3.0mm Thick E645	10 Metre
7032	EPDM Rubber 60 SDH 4.5mm Thick	10 Metre
7033	EPDM Rubber 60 SDH 6.0mm Thick	10 Metre

**** * Remember ROGERS for Rubber & Plastic * ****

HYGIENIC WHITE RUBBER

CHARACTERISTICS:

- White Hygienic Rubber is specially formulated from natural rubbers for the use in the food industries.
- White Hygienic Rubber can be used in most applications where a hygienic and non-marking rubber is required.
- White Hygienic Rubber has a shore a hardness of 45 / 55 with a maximum working temperature of 70 degrees Celsius.

HYGIENIC WHITE RUBBER SHEETS 45/55 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6900	1.5	1830mm X 915mm	70
6901	3.2	1830mm X 915mm	70
6902	4.8	1830mm X 915mm	70
6903	6.4	1830mm X 915mm	70
6904	9.5	1830mm X 915mm	70
6905	12.0	1830mm X 915mm	70
9606	20.0	1830mm X 915mm	70

INSERTION RUBBER

CHARACTERISTICS:

- Insertion rubber is reinforced with cotton fabric which gives the extra strength required for this universally used material.
- Insertion rubber can be supplied in natural rubber and oil resistant neoprene compounds.
- Insertion is used for gaskets, packing, matting and dust curtains and many other applications.
- A special sheet used for mud-flaps has a white face and hard wearing black backing.
- Available in rolls of 10 metre rolls or sold per metre.

NATURAL RUBBER INSERTION

PRODUCT CODE	THICKNESS (MM)	PLIES	WIDTH (MM)	LENGTH (MTRS)	MAX TEMP (C)
6999	0.8	1	1200	10	70
7000	1.5	1	1200	10	70
7001	3.0	1	1200	10	70
7002	3.0	2	1200	10	70
7003	4.5	2	1200	10	70
7004	6.0	2	1200	10	70
7005	6.0	4	1200	10	70
7006	9.5	2	1200	10	70

WHITE FACED INSERTION

PRODUCT CODE	THICKNESS (MM)	PLIES	WIDTH (MM)	LENGTH (MTRS)	MAX TEMP (C)
7010	6.0	2	1200	10	70
7011	6.0	4	1200	10	70

**** * Remember ROGERS for Rubber & Plastic * ****

NEOPRENE INSERTION

PRODUCT CODE	THICKNESS (MM)	PLIES	WIDTH (MM)	LENGTH (MTRS)	MAX TEMP (C)
7020	1.5	1	1200	10	90
7021	3.0	1	1200	10	90
7022	4.5	2	1200	10	90
7023	6.0	2	1200	10	90

LINING RUBBER

CHARACTERISTICS:

- Lining Rubber is specially formulated for all applications where rubber can provide protection from high abrasive wear.
- Typical applications are chute and bin linings, pipe linings, flotation cell linings and impellers etc.

LINING RUBBER GREEN (ROLLS) 45 SHD

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)	MIN TEMP (C)
7100	1.5	1200	- 40	+ 90
7101	3.0	1200	- 40	+ 90
7102	4.5	1200	- 40	+ 90
7103	6.0	1200	- 40	+ 90
7104	10.0	1200	- 40	+ 90
7105	12.0	1200	- 40	+ 90
7106	15.0	1200	- 40	+ 90
7107	19.0	1200	- 40	+ 90
7108	22.0	1200	- 40	+ 90
7109	25.0	1200	- 40	+ 90

LINING RUBBER GREEN (SHEETS) 45 SHD

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)	MIN TEMP (C)
6960	3.2	1830mm X 915mm	- 40	+ 90
6961	4.8	1830mm X 915mm	- 40	+ 90
6962	6.4	1830mm X 915mm	- 40	+ 90
6963	10.0	1830mm X 915mm	- 40	+ 90
6964	13.0	1830mm X 915mm	- 40	+ 90
6965	15.0	1830mm X 915mm	- 40	+ 90
6966	20.0	1830mm X 915mm	- 40	+ 90
6967	22.0	1830mm X 915mm	- 40	+ 90
6968	25.0	1830mm X 915mm	- 40	+ 90

**** * Remember ROGERS for Rubber & Plastic * ****

LINING GREEN RUBBER SHEETS NEO - BACKED

PRODUCT CODE	COLOUR	THICKNESS (MM)	SDH	SHEET SIZE	MAX TEMP (C)	MIN TEMP (C)
6040	Brown	1.5	45	1830mm X 915mm	- 40	+ 90
6041	Brown	3.0	45	1830mm X 915mm	- 40	+ 90
6042	Brown	4.5	45	1830mm X 915mm	- 40	+ 90
6043	Brown	6.0	45	1830mm X 915mm	- 40	+ 90
6044	Brown	10.0	45	1830mm X 915mm	- 40	+ 90
6045	Brown	12.0	45	1830mm X 915mm	- 40	+ 90

LINING BLUE RUBBER SHEETS NEO – BACKED

PRODUCT CODE	COLOUR	THICKNESS (MM)	SDH	SHEET SIZE	MAX TEMP (C)	MIN TEMP (C)
6050	Red	3.5	45	1830mm X 915mm	- 40	+ 90
6051	Red	5.0	45	1830mm X 915mm	- 40	+ 90
6052	Red	6.0	45	1830mm X 915mm	- 40	+ 90
6053	Red	8.0	45	1830mm X 915mm	- 40	+ 90
6054	Red	10.0	45	1830mm X 915mm	- 40	+ 90
6055	Red	12.0	45	1830mm X 915mm	- 40	+ 90
6056	Red	16.0	45	1830mm X 915mm	- 40	+ 90
6057	Red	20.0	45	1830mm X 915mm	- 40	+ 90
6058	Red	25.0	45	1830mm X 915mm	- 40	+ 90

LINING RED RUBBER SHEETS NEO – BACKED

PRODUCT CODE	COLOUR	THICKNESS (MM)	SDH	SHEET SIZE	MAX TEMP (C)	MIN TEMP (C)
6100	Black	3.0	40	1830mm X 915mm	- 40	+ 90
6101	Black	4.5	40	1830mm X 915mm	- 40	+ 90
6102	Black	6.0	40	1830mm X 915mm	- 40	+ 90
6103	Black	9.0	40	1830mm X 915mm	- 40	+ 90
6104	Black	12.0	40	1830mm X 915mm	- 40	+ 90

**** * Remember ROGERS for Rubber & Plastic * ****

NATURAL RUBBER ROLLS

CHARACTERISTICS:

- Natural Rubber Sheet has a wide range of industrial uses such as packing, gaskets, dust curtains, shock and sound absorption.
- Natural Rubber has excellent physical properties including abrasion and cut resistance, but has poor resistance to oils and similar solvents.
- Super Abrasion Resistance (SAR) Rubber for heavy duty wears resistance.

NATURAL RUBBER ROLLS 60 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)
7060	1.5	1220	70
7061	3.0	1220	70
7062	4.5	1220	70
7063	6.0	1220	70
7064	9.5	1220	70
7065	12.7	1220	70

SAR (BLACK) 70 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)
6080	3.5	1200	70
6081	5.0	1200	70
6082	6.0	1200	70
6083	8.0	1200	70
6084	10.0	1200	70
6085	12.0	1200	70
6086	16.0	1200	70
6087	20.0	1200	70
6088	25.0	1200	70

**** * Remember ROGERS for Rubber & Plastic * ****

SAR (BLACK) 80 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)
7120	7.0	1200	70
7121	10.0	1200	70
7122	13.0	1200	70
7123	15.0	1200	70
7124	20.0	1200	70
7125	25.0	1200	70
7130	3.2	1830	70
7131	4.8	1830	70
7132	6.0	1830	70

※ ※ Remember ROGERS for Rubber & Plastic ※ ※

NATURAL RUBBER SHEETS

CHARACTERISTICS:

- Natural Rubber Sheet has a wide range of industrial uses such as packing, gaskets, dust curtains, shock and sound absorption.
- Natural Rubber has excellent physical properties including abrasion and cut resistance, but has poor resistance to oils and similar solvents.

NATURAL RUBBER SHEETS 45 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6600	1.6	1830mm X 915mm	70
6601	3.2	1830mm X 915mm	70
6602	4.8	1830mm X 915mm	70
6603	6.4	1830mm X 915mm	70
6604	8.0	1830mm X 915mm	70
6605	10.0	1830mm X 915mm	70
6606	12.0	1830mm X 915mm	70
6607	15.0	1830mm X 915mm	70
6608	20.0	1830mm X 915mm	70
6609	25.0	1830mm X 915mm	70

NATURAL RUBBER SHEETS 60 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6401	0.8	1830mm X 915mm	70
6620	1.6	1830mm X 915mm	70
6621	3.2	1830mm X 915mm	70
6622	4.8	1830mm X 915mm	70
6623	6.4	1830mm X 915mm	70
6624	8.0	1830mm X 915mm	70
6625	10.0	1830mm X 915mm	70
6626	12.0	1830mm X 915mm	70
6627	15.0	1830mm X 915mm	70
6628	20.0	1830mm X 915mm	70
6629	25.0	1830mm X 915mm	70

**** * Remember ROGERS for Rubber & Plastic * ****

NATURAL RUBBER SHEETS 70 SDH

<i>PRODUCT CODE</i>	<i>THICKNESS (MM)</i>	<i>SHEET SIZE</i>	<i>MAX TEMP (C)</i>
6634	1.6	1830mm X 915mm	70
6635	3.2	1830mm X 915mm	70
6637	6.4	1830mm X 915mm	70
6640	12.0	1830mm X 915mm	70

***** Remember ROGERS for Rubber & Plastic *****

NEOPRENE RUBBER ROLLS

CHARACTERISTICS:

- The first commercial synthetic rubber developed.
- Mechanical, chemical, and structural properties similar to Natural rubber.
- Excellent UV and water resistance with very good abrasion resistance.
- Good resistance to aromatics and nonaromatic fuels and alkalis, fair acid resistance. Fair to poor solvent resistance.
- Incompatible with synthetic lubricants.
- Very good compression set and flex cracking CHARACTERISTICS.
- Maximum elongation: approximately 600%.
- Temperature range –53°C to 150°C

NEOPRENE RUBBER ROLLS 60 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)
7040	1.5	1220	150
7041	3.0	1220	150
7042	4.5	1220	150
7043	6.0	1220	150
7044	9.5	1220	150
7045	12.7	1220	150

NEOPRENE RUBBER SHEETS

CHARACTERISTICS:

- Neoprene is a general-purpose rubber sheet, superior to natural rubber in weathering, heat resistance, fire resistance and resistance to petroleum
- based fluids. Excellent UV & water resistance with very good abrasion resistance

NEOPRENE SHEETS 45 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6650	1.6	1830mm X 915mm	150
6651	3.2	1830mm X 915mm	150
6652	4.8	1830mm X 915mm	150
6653	6.4	1830mm X 915mm	150
6654	8.0	1830mm X 915mm	150
6655	10.0	1830mm X 915mm	150
6656	12.0	1830mm X 915mm	150
6657	15.0	1830mm X 915mm	150
6658	20.0	1830mm X 915mm	150
6659	25.0	1830mm X 915mm	150

NEOPRENE SHEETS 60 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6402	0.8	1830mm X 915mm	150
6670	1.6	1830mm X 915mm	150
6671	3.2	1830mm X 915mm	150
6672	4.8	1830mm X 915mm	150
6673	6.4	1830mm X 915mm	150
6674	8.0	1830mm X 915mm	150
6675	10.0	1830mm X 915mm	150
6676	12.0	1830mm X 915mm	150
6677	15.0	1830mm X 915mm	150
6678	20.0	1830mm X 915mm	150
6679	25.0	1830mm X 915mm	150

NEOPRENE SHEETS 70 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6680	1.6	1830mm X 915mm	150
6681	3.2	1830mm X 915mm	150
6682	4.8	1830mm X 915mm	150
6683	6.4	1830mm X 915mm	150
6684	8.0	1830mm X 915mm	150
6685	10.0	1830mm X 915mm	150
6686	12.0	1830mm X 915mm	150
6687	15.0	1830mm X 915mm	150
6688	20.0	1830mm X 915mm	150
6689	25.0	1830mm X 915mm	150

***** Remember ROGERS for Rubber & Plastic *****

NITRILE RUBBER

CHARACTERISTICS:

- Nitrile Compound Rubber shows excellent resistance to petroleum-based fluids and moderate resistance to aromatics.
- It has excellent physical properties

NITRILE SHEETS 60 SDH

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	MAX TEMP (C)
6403	0.8	1830mm X 915mm	125
6720	1.6	1830mm X 915mm	125
6721	3.2	1830mm X 915mm	125
6722	4.8	1830mm X 915mm	125
6723	6.4	1830mm X 915mm	125
6724	8.0	1830mm X 915mm	125
6725	10.0	1830mm X 915mm	125
6726	12.0	1830mm X 915mm	125
6727	15.0	1830mm X 915mm	125
6728	20.0	1830mm X 915mm	125
6729	25.0	1830mm X 915mm	125

NITRILE ROLLS 60 SDH

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)
7050	1.5	1220	125
7051	3.0	1220	125
7052	4.5	1220	125
7053	6.0	1220	125

***** Remember ROGERS for Rubber & Plastic *****

PURE GUM SHEET RUBBER

CHARACTERISTICS:

- Pure Gum Rubber is a rubber similar to that used in most elastic bands. This very stretchy (950% elongation at break) and soft (30 / 40 Shore A) rubber is available in a brown colour and is suitable for environments not exceeding 60 degrees Celsius.
- Pure Gum Sheet Rubber has excellent cut tear resistance and softer compound for increased cushioning and stretch.

PURE GUM NATURAL SHEET

PRODUCT CODE	THICKNESS (MM)	SHEET SIZE	COLOUR	MAX TEMP (C)
5450	0.8	1830mm X 915mm	Brown	60
5451	1.6	1830mm X 915mm	Brown	60
5452	3.2	1830mm X 915mm	Brown	60
5453	4.8	1830mm X 915mm	Brown	60
5454	6.4	1830mm X 915mm	Brown	60
5455	9.5	1830mm X 915mm	Brown	60
5456	13.0	1830mm X 915mm	Brown	60

RUBBER MATTING

RIBBED RUBBER MATTING

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	LENGTH (MTRS)
7083	3.5mm	1000mm	10m
7080	3.5mm	1200mm	10m
7076	3.5mm	1500mm	10m
7077	3.5mm	2000mm	10m
7078	5.0mm	1500mm	10m
7079	5.0mm	2000mm	10m

HORSE FLOAT MATTING (SHEETS)

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	LENGTH (MM)
15170	9.5mm	1830mm	915mm

SKIRTING RUBBER ROLLS

CHARACTERISTICS:

- Skirting Rubber is used for conveyor skirting or where long length, wide rolls of natural rubber are required.

SKIRTING RUBBER (HARD)

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)	SDH
7525	6.0	1500	70	50 / 60
7551	9.5	1500	70	50 / 60
7577	12.9	1500	70	50 / 60
7603	16.0	1500	70	50 / 60
7629	19.0	1500	70	50 / 60
7655	25.0	1500	70	50 / 60

SKIRTING RUBBER (SOFT)

PRODUCT CODE	THICKNESS (MM)	WIDTH (MM)	MAX TEMP (C)	SDH
7656	6.0	1500	70	40 / 50
7657	9.0	1500	70	40 / 50
7658	12.0	1500	70	40 / 50
7659	16.0	1500	70	40 / 50
7660	19.0	1500	70	40 / 50
7661	25.0	1500	70	40 / 50

DUST CLOTH

CHARACTERISTICS:

- Dust Sealing Cloth is a very flexible and elastic product used in the mining, quarrying and industrial applications, where dust suppressions are a problem. Extruded rubber grip strips are available for fastening.

DUST SEALING CLOTH

<i>PRODUCT CODE</i>	<i>THICKNESS (MM)</i>	<i>WIDTH (MM)</i>
7140	2.0	1400

VITON RUBBER

CHARACTERISTICS:

- Viton is a synthetic rubber elastomer well known for its excellent heat resistance 325 / - 45 (C). Viton offers excellent resistance to aggressive fuels and chemicals, including aromatic, halogenated, and aliphatic solvents & aromatic fuels.]
- Good oxidation resistance, very good compression set & water resistance.
- Excellent performance with acids, but poor with alkalis.
- Maximum elongation: approximately 250%

VITON A (FLURO ELASTOMER RUBBER)

PRODUCT CODE	THICKNESS (MM)	SDH	SHEET SIZE	MAX TEMP (C)	MIN TEMP (C)
6001	1.5	60	915mm X 915mm	325	- 45
6003	3.2	60	915mm X 915mm	325	- 45
6005	4.8	60	915mm X 915mm	325	- 45
6007	6.4	60	915mm X 915mm	325	- 45
6010	1.5	70	1000mm X 1000mm	325	- 45
6011	3.0	70	1000mm X 1000mm	325	- 45
6012	4.5	70	1000mm X 1000mm	325	- 45
6013	6.0	70	1000mm X 1000mm	325	- 45

PACKAGING MATERIALS

TAPE POLYPROPYLENE PACKAGING

PRODUCT CODE	COLOUR	WIDTH (MM)	LENGTH (MTRS)	CARTON QUALITY
9550	Brown	24.0	75	72
9551	Brown	36.0	75	48
9552	Brown	48.0	75	36
9553	Transparent	24.0	75	72
9554	Transparent	36.0	75	48
9555	Transparent	48.0	75	36

TAPE MASKING GENERAL PURPOSE

PRODUCT CODE	COLOUR	WIDTH (MM)	LENGTH (MTRS)	CARTON QUALITY
9425	Cream	18.0	50	48
9423	Cream	24.0	50	36
9420	Cream	36.0	50	24
9421	Cream	48.0	50	24

TAPE PVC JOINING (DUCT TAPE)

PRODUCT CODE	COLOUR	SIZE (MM)	LENGTH (MTRS)	CARTON QUALITY
9590	Silver	48.0	30	60
9527	Black	48.0	30	60

TAPE DISPENSER

PRODUCT CODE	DESCRIPTION
12055	Packaging Tape Pistol Grip

ADHESIVE ENVELOPES

PRODUCT CODE	TYPE	SIZE (MM)	CARTON QUALITY
11295	Documents Enclosed	150mm X 110mm	1000
11991	Packing Slip Enclosed	140mm X 115mm	1000

***** Remember ROGERS for Rubber & Plastic *****

POLY STRAPPING

PRODUCT CODE	WIDTH (MM)	LENGTH (MTRS)
14540	12.0	1000
14560	15.0	1000

POLY BUCKLES

PRODUCT CODE	SIZE (MM)	CARTON QUALITY
14640	12.0	1000
14660	15.0	1000

BUBBLE WRAP

PRODUCT CODE	COLOUR	SIZE (MM)	WIDTH (MM)	LENGTH (MTRS)
45002	Natural	10.0	1500	100
45003	Natural	10.0	750	100
45004	Natural	10.0	500	100

BUBBLE WRAP ANTISTATIC

PRODUCT CODE	COLOUR	SIZE (MM)	WIDTH (MM)	LENGTH (MTRS)
45031	Pink	10.0	1500	100

CORRUGATED CARDBOARD

PRODUCT CODE	COLOUR	WIDTH (MM)
45502	Brown	1525

***** Remember ROGERS for Rubber & Plastic *****

STRETCH WRAP

STRETCH FILM

PRODUCT CODE	COLOUR	THICKNESS (UM)	WIDTH (MM)	LENGTH (MTRS)	ORIGIN
45110	Clear	20UM	500	450	Imported
45125	Clear	25UM	500	450	Imported
20601	Clear	20UM	500	450	Australian
20603	Clear	25UM	500	450	Australian
20611	Black	20UM	500	450	Australian
20613	Black	25UM	500	400	Australian

STRETCHWRAP DISPENSER

PRODUCT CODE	DESCRIPTION
20680	Stretchwrap Dispenser (Hand Hold)

PALLET BAGS (PERFERATED ROLLS)

PRODUCT CODE	COLOUR	THICKNESS (UM)	HEIGHT (MM)	BREATH (MM)	BAGS PER ROLL
20410	Natural	100UM	1850	1220mm X 1220mm	25
20417	Natural	100UM	2600	1220mm X 1220mm	25
20420	Natural	150UM	1850	1220mm X 1220mm	25

PALLET TOP SHEETS (PERFERETED ROLL)

PRODUCT CODE	COLOUR	THICKNESS (UM)	SIZE (MM)	SHEETS PER ROLL
20650	Natural	25UM	1680mm X 1680mm	250

**** * Remember ROGERS for Rubber & Plastic * ****

BLUE PERFERATED SHEETS

PRODUCT CODE	COLOUR	THICKNESS (UM)	SIZE (MM)	SHEETS PER ROLL
55900	Blue	38UM	1820mm X 910mm	340

ASBESTOS REMOVAL BAGS

PRODUCT CODE	COLOUR	THICKNESS (UM)	HEIGHT (MM)	WIDTH (MM)
20450	Natural	200UM	1000	650

***** Remember ROGERS for Rubber & Plastic *****